	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
П	BRS	1677	702/57,58,64,66,67,69,78,7 9, for.104,for.106,for.107, 16r.108,for.109,for.110.cc ls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:58		
2	BRS	4101	324/76.11,76.12,76.13,76.1 5,76.16,76.19,76.22,76.27, 1 76.39,76.41,76.47,76.48.cc	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:47		·
e	BRS	3976	375/354,355,359,360.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:50		
4	BRS	78	(324/\$.ccls. or 375/\$.ccls.) and clock adj delay\$3 and data adj delay\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:10		
ம	BRS	2079	702/57,58,64,66,67,69,78,7 9,for.104,for.106,for.107, for.108,for.109,for.110.cc ls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28		
9	BRS	4231	324/76.11,76.12,76.13,76.1 5,76.16,76.19,76.22,76.27, 76.39,76.41,76.47,76.48.cc 1s.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:09		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
13	BRS	43	eye with diagram with analyzer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:25		
14	BRS	6	eye with diagram and hit with count\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	EPO; 2004/10/28 ENT; 16:37	•	
15	BRS	134	eye with diagram with signal\$1 and clock with cycle\$1	USPAT; US-PGPUB; EPO; 2004/10/28 JPO; DERWENT; 16:37 IBM_TDB	2004/10/28 16:37	·	
16	BRS	17	(702/57,58,64,66,67,69,78,79,for.104,for.106,for.107,for.109,for.110.ccls.) and eye with diagram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:38		
17	BRS	12	(702/57,58,64,66,67,69,78,79,for.104,for.106,for.107,for.108,for.109,for.110.ccls.) and eye with diagram with analy\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:38		
18	BRS	7	(324/76.11,76.12,76.13,76. 15,76.16,76.19,76.22,76.27 ,76.39,76.41,76.47,76.48.c cls.) and eye with diagram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:39		

	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
19	BRS	9	(324/76.11,76.12,76.13,76. 15,76.16,76.19,76.22,76.27 ,76.39,76.41,76.47,76.48.c cls.) and eye with diagram and analy\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:39		
20	BRS	71	(375/354,355,359,360.ccls. ) and eye with diagram	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 09:57 IBM_TDB	2004/10/29		
21	BRS	22	(375/354,355,359,360.ccls.) and eye with diagram and analy\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:40		
22	BRS	134	eye with diagram with signal\$1 and clock with cycle\$1	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 08:54 IBM_TDB	2004/10/29 08:54	·	
23	BRS	1	eye with diagram with signal\$1 and clock with cycle\$1 and double with delay\$3	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 09:36 IBM_TDB	2004/10/29 09:36		

	adų	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
1	BRS	30	eye with diagram with signal\$1 and (compar\$4 or differen\$2) with clock with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined) with (voltage\$1 or current\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29		
	BRS	4	eye with diagram with signal\$1 and (compar\$4 or differen\$2) with clock with variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined) with (voltage\$1 or current\$1)	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 09:45 IBM_TDB	2004/10/29 09:45		
T	BRS	80	eye with diagram with analy\$3 and (compar\$4 or differen\$2) with clock with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined) with (voltage\$1 or current\$1)	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 09:46 IBM_TDB	2004/10/29 09:46	·	

	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
	BRS	1	eye with diagram with analy\$3 and waveform\$1 with delay\$3 with clock and transit\$4 with time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:47		
<u> </u>	BRS		eye with diagram with analy\$3 and waveform\$1 with delay\$3 with clock and variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:49		
	BRS	0	eye with diagram with analy\$3and variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined) and waveform\$1 with delay\$3 with logical with data with amount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:52		
	BRS	0	eye with diagram with analy\$3 and variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined) and waveform\$1 with delay\$3 with logical with amount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:54		·

							Error
	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Definiti on
31	BRS	7	(375/354,355,359,360.ccls. USPAT; ) and eye with diagram US-PGP and waveform\$1 with JPO; D delay\$3	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 09:59 IBM_TDB	2004/10/29 09:59		
32	BRS	v	(702/57,58,64,66,67,69,78,79,for.104,for.106,for.107,for.108,for.109,for.110.clcls.) and eye with diagram and waveform\$1	JSPAT; JS-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 10:00		
33	BRS	0	(324/76.11,76.12,76.13,76. 15,76.16,76.19,76.22,76.27 U ,76.39,76.41,76.47,76.48.c U cls.) and eye with diagram and waveform\$1 with delay\$3	JSPAT; JS-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 09:59		
34	BRS	0	(375/354,355,359,360.ccls.) and eye with diagram and waveform\$1 with delay\$3 and variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined)	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 14:46 IBM_TDB	2004/10/29 14:46		

	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
35	BRS	7	(702/57,58,64,66,67,69,78,79,for.104,for.106,for.107,for.107,for.108,for.109,for.110.ccls.) and eye with delay\$3 and variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined)	SPAT; S-PGPUB; EPO; PO; DERWENT; BM_TDB	2004/10/29 10:04		
36	BRS	Н	"6614434".PN.	USPAT	2004/10/29 10:02		
37	BRS	Н	"5949399".PN.	USPAT	2004/10/29 10:03		
38	BRS	Н	"5652668".PN.	USPAT	2004/10/29 10:03		
39	BRS	Н	"5579145".PN.	USPAT	2004/10/29 10:03		
40	BRS	Н	"4896271".PN.	PAT	2004/10/29 10:03		
1 4	BRS	7	(702/57,58,64,66,67,69,78,79,for.104,for.106,for.107,for.108,for.106,for.110.ccls.) and eye with diagram and waveform\$1 uS with delay\$3 and variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined) and delay\$3 with amount	PAT; - PGPUB; EPO; O; DERWENT; M_TDB	2004/10/29 10:04	,	

	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
4.2	BRS	2	(702/57,58,64,66,67,69,78,79,for.104,for.106,for.107,for.107,for.108,for.107,for.110.ccls.) and eye with diagram and waveform\$1 with delay\$3 and variable with (threshold\$1 or reference\$1 or desired or preset\$4 or predefined) and delay\$3 with logical with amount	SPAT; S-PGPUB; EPO; PO; DERWENT; BM_TDB	2004/10/29 10:06		,
4.3	BRS	0	(702/57,58,64,66,67,69,78,79,for.104,for.106,for.107,for.107,for.107,for.107,for.107,for.107,for.108,for.108,for.109,for.110.ccls.) and eye with diagram with analy\$3 and waveform\$1 with delay\$3 and variable with creference\$1 or desired or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined) and waveform with delay\$3 with logical with amount	SPAT; S-PGPUB; EPO; PO; DERWENT; BM_TDB	2004/10/29 10:26		

	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
44	BRS	2	(702/57,58,64,66,67,69,78,79,for.104,for.106,for.107,for.107,for.107,for.107,for.107,for.107,for.108,for.109,for.110.ccls.) and eye with diagram with analy\$3 and waveform\$1 with delay\$3 and variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined) and delay\$3 with logical with amount	SPAT; S-PGPUB; EPO; PO; DERWENT; BM_TDB	2004/10/29 14:29	·	
45	BRS	1	(324/76.11,76.12,76.13,76. U 15,76.16,76.19,76.22,76.27 U ,76.39,76.41,76.47,76.48.c J cls.) and eye with diagram I and clock with delay\$3	SPAT; S-PGPUB; EPO; PO; DERWENT; BM_TDB	2004/10/29 14:49		
46	BRS	7		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:48		
47	BRS	9	(324/76.11,76.12,76.13,76. 15,76.16,76.19,76.22,76.27 ,76.39,76.41,76.47,76.48.c cls.) and eye with diagram and delay\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:49		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
48	BRS	0	(324/76.11,76.12,76.13,76. U 15,76.16,76.19,76.22,76.27 ,76.39,76.41,76.47,76.48.c cls.) and eye with diagram I and delay\$3 with count\$3	SPAT; S-PGPUB; EPO; PO; DERWENT; BM_TDB	2004/10/29 14:50		
49	BRS	7	(702/57,58,64,66,67,69,78, U) 79, for.104, for.106, for.107 U) (for.108, for.109, for.110.c J) cls.) and eye with diagram I: and clock with delay\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:50		
50	BRS	1.1	(702/57,58,64,66,67,69,78,79,for.104,for.106,for.107,for.108,for.109,for.110.ccls.) and eye with diagram and delay\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:50		
51	BRS	S	(702/57,58,64,66,67,69,78, 179, for.104, for.106, for.107, for.108, for.109, for.110.c cls.) and eye with diagram and delay\$3 with count\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:50		
52	BRS	58	(375/354,355,359,360.ccls.) and eye with diagram and delay\$3	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 14:51 IBM_TDB	2004/10/29 14:51		
53	BRS	33	(375/354,355,359,360.ccls. ) and eye with diagram and clock with delay\$3	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 14:50 IBM_TDB	2004/10/29 14:50		

	Туре	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
1	BRS	4	(375/354,355,359,360.ccls.) and eye with diagram and delay\$3 with count\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:51		
	BRS	11	(375/354,355,359,360.ccls.) and eye with diagram and delay\$3 and variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined)	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 14:52 IBM_TDB	2004/10/29 14:52		
	BRS	0	(375/354,355,359,360.ccls.) and eye with diagram and delay\$3 and variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined) and waveform with delay\$3 with logical with amount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:52		
	BRS	537	logic with analy\$3 and clock with input with delay\$3	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 14:54 IBM_TDB	2004/10/29 14:54		
	BRS	Ŋ	logic with analy\$3 and clock with input with delay\$3 and eye with diagram with analy\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/29 14:55		

	Туре	Hits	Search Text	DBs	Time Stamp Comments	Comments	Error Definiti on
59	BRS	2	logic with analy\$3 and clock with input with delay\$3 and eye with diagram with analy\$3 with count\$3	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 14:55 IBM_TDB	2004/10/29 14:55		
09	BRS	0	logic with analy\$3 and clock with input with delay\$3 and eye with diagram with analy\$3 with count\$3 and variable with (threshold\$1 or reference\$1 or desired or expected or predetermin\$3 or preset\$4 or predefined)	USPAT; US-PGPUB; EPO; 2004/10/29 JPO; DERWENT; 14:55 IBM_TDB	2004/10/29 14:55	·	